



PRODUCT BROCHURE



Company Profile

Aquacup is a global water technology brand backed by China Water Affairs Group, dedicated to delivering safe, intelligent, and sustainable water solutions worldwide. Built on the advanced manufacturing capabilities of Jiangxi Yinli Drinking Water Equipment Co., Ltd., a strategic joint venture established by China Water Affairs Group, ORIX, and Toray, Aquacup integrates professional water utility expertise, international resources, and advanced membrane technology.

With a comprehensive system covering R&D, intelligent manufacturing, quality management, and engineering services, Aquacup provides integrated water solutions across municipal water supply, wastewater treatment, water purification, desalination, and smart water management. Through innovative technologies, strict quality standards, and extensive project experience, Aquacup helps global partners achieve safer, more efficient, and sustainable water access.





130+ Patents

Related to drinking water





3000+ Schools Served

School Safe Direct Drinking Water Project



10M+ People Served

Including teachers and students



Brand concept



Redefining Every Drop from Source to Cup

Aquacup connects advanced water technology with everyday life to deliver reliable, sustainable solutions that protect every drop and improve lives worldwide.

Containerized Water Treatment System



Mobile · Integrated · Intelligent · Customizable

Combines a standard container with a fully integrated water treatment system, utilizing pretreatment and reverse osmosis (RO) technologies as the core processes. Designed for challenging installation environments and applications requiring high integration, the system features rapid deployment, ready-to-use operation, and flexible relocation, making it an ideal solution for emergency water supply, remote areas, temporary projects, and industrial applications.

Energy Efficient

Rapid Deployment

Highly Integrated

Intelligent Operation


Wide Applications

Plug and Play Operation

Equipment parameters

Capacity	10 T/D	20 T/D	50 T/D
Power	4kW	7.5kW	12.5kW
Daily Energy Consumption	40kW.h	75kW.h	125kW.h
Power	20GP	20GP	40GP

Central Water Purification Equipment



Advanced Intelligent Hardware

Retain Minerals in Purified Water

Dual Sterilization: Ozone + Ultraviolet

Innovative Transparent Appearance Design

Adopt Toray Membrane Elements (Japan)

Big Data Platform Remote Monitoring

Advanced Equipment & Water Quality Monitoring Technology

Adopt the 3rd Generation Dual-Membrane Drinking Water Purification Process

High-end Equipment Product Parameters

Model	YL-NF-II-500	YL-NF-II-750	YL-NF-II-1000	YL-NF-II-2000
Pure Water Flow (L/h)	500L/h	750L/h	1000L/h	2000L/h
Rated Total Water Production (m ³)	4800m ³	7200m ³	9600m ³	9200m ³
Inlet Water Pressure (MPa)	0.07-0.3MPa	0.07-0.3MPa	0.07-0.3MPa	0.07-0.3MPa
Operating Pressure (MPa)	0.5-1.0MPa	0.5-1.0MPa	0.5-1.0MPa	0.5-1.0MPa
Online Water Quality Monitoring	7 indicators	7 indicators	7 indicators	7 indicators
Analog Data for Remote Monitoring	8 analog signals	8 analog signals	8 analog signals	8 analog signals
Inlet Water Source	Municipal Tap Water	Municipal Tap Water	Municipal Tap Water	Municipal Tap Water
Output Water Quality	Comply with Standard CJ94-2005 for Quality of Drinking Purified Water			
Water Temperature Requirement (°C)	5°C-40°C	5°C-40°C	5°C-40°C	5°C-40°C
Operating Voltage & Frequency	380V×(1±10%), 50Hz±2Hz			
Power	2.6KW	2.9KW	3.0KW	4.1KW
Applicable Population	Approx. 1,200 people	Approx. 1,500 people	Approx. 2,000 people	Approx. 4,000 people
Application Scenarios	Schools, hospitals, office buildings, residential communities, factories, villas, hotels, rural areas, etc.			



厨下RO净水机 JP202

Under-sink RO Water Purifier JP202

600 加仑大流量

600 gallons large flow

弹出式滤芯

Pop-up filter replacement

滤芯提示, 漏水保护

Filter replacement reminder, Leak protection

3 分管双出水龙头

3/8" tube dual-outlet faucet

净水出水为微纳米气泡水

The purified water outlet is micro-nano bubble water

一级水效

First-class water efficiency



大流量
3分出水口

Large flow
3/8" tube dual-outlet faucet



低废水
产水率高
浓缩废水少

Low wastewater
high water production rate
less concentrated wastewater



集成水路
有效防漏

Integrated water circuit
effective leak prevention



微纳米气泡
有效防漏

Micro-nano bubbles
effective leak prevention



智能监控
滤芯更换提醒

Intelligent monitoring
filter replacement reminder



快捷专利滤芯
轻轻一按
立即更换

Fast patented filter replacement
press lightly to replace immediately



智能冲洗
延长RO膜
使用寿命

Intelligent flushing
extend the service life of
RO membrane



一级水效
节水节能
省水省电

Level 1 Water Efficiency
water and energy saving, water
and electricity saving



双出水龙头

Dual water outlet faucet



智能
漏水防护

**Intelligent water
leakage protection**



三级过滤
即滤即饮

Three-stage filtration
drink immediately after filtration



直饮水
即滤即饮

Direct drinking water
drink immediately after filtration



增压泵
高性能低噪音

Booster pump
high-performance low-noise
pump



PCB滤芯
PP棉+碳棒

PCB filter element
PP cotton + carbon rod



高性能RO膜
畅销反渗透膜

High-performance RO membrane
best-selling reverse osmosis
membrane



小尺寸
超薄机身

Small size
ultra-thin body

厨下RO净水机 JY201

Under-sink RO Water Purifier JY201

多色可选

Multiple colors available



600G大流量

600G large flow



超低废水比

Ultra-low
wastewater ratio



3秒快速换芯

3-second rapid
filter replacement



换芯智能提醒

Intelligent filter
replacement reminder

600G 大流量, 接满一杯水, 仅需 6 秒

600G large flow, only 6 seconds to fill a cup of water

RO 膜过滤, 过滤精度 0.0001 微米

RO membrane filtration, filtration accuracy 0.0001 micron

滤除重金属、抗生素、农药残留、细菌病毒

Filters out heavy metals, antibiotic residues, pesticide residues, bacteria and viruses

多重深度过滤, 产出新鲜好水, 放心直饮

Multiple deep filtrations, produces fresh and good water, safe for direct drinking

高于国家一级水效标准, 净水更省水

Higher than national Level 1 Water Efficiency standard, more water-saving for purification

**多重深度过滤
产出新鲜好水, 安心直饮**

Multiple deep filtrations,
produces fresh and good
water, safe for direct drinking



**智能显示面板
贴心提醒及时换芯**

Smart Display for Timely
Filter Replacement



台面净饮机 JP505

Countertop Water Purifier JP505

双滤芯, 5重过滤

Dual filter elements, 5-stage filtration

6度冰水

6°C cold water

3秒速热, 个性出水设置

3-second rapid heating, personalized water output setting

6L 原水箱, 双 1.8L 纯水箱

6L raw water tank, dual 1.8L pure water tanks

一级水效

Level 1 Water Efficiency



强效
五级精滤

Powerful five-stage
fine filtration



纳米
气泡水

Nano bubble water



厚膜
一秒速热

Thick film one-second
rapid heating



压缩制冷
六度冷水

Compression refrigeration
six-degree cold water



全屏
触控操作

Full-screen touch operation



内置纯水箱

Build-in pure water tank



六大
防护功能

Six major protection
functions



纯水原水
水质监测

Pure water and raw water
quality monitoring



直接本源
无需换水

Direct source, no need to
change water



符合国家
一级水效

Complies with national
Level 1 Water Efficiency

台面净饮机 JY502

Countertop Water Purifier JP505

多色可选

■ 气质蓝

■ 亮白

■ 雅灰

Multiple colors
available

Temperament
Blue

Bright White

Elegant Gray

一机6用 5重净化系统

one unit with 6 functions 5-stage purification system



强效
五级精滤

Powerful five-stage
fine filtration



高浓度
富氢水

High-concentration
hydrogen-rich water



厚膜
三秒速热

Thick film three-second
rapid heating



符合国家
一级水效

Complies with national
Level 1 Water Efficiency



无感
触控操作

Seamless touch operation



免安装
设计

No-installation design



可抽取式
水壶

Removable water kettle



6升超大
原水箱

6L extra-large raw water tank



纯水原水
水质监测

Pure water and raw water
quality monitoring



六大
防护功能

Six major protection
functions

国家一级水效 净水节水两不误

Level 1 Water Efficiency

Purest Water, Least Waste



净水花洒 SH02

Water Purifying Shower Head SH02

多色可选

Multiple colors
available

亮白

Bright White

活力绿

Vitality Green

摩卡棕

Mocha Brown

多重过滤, 层层把关

Multiple filtrations, strict checks at each level

美肤滤芯

Skin-beautifying filter element

PP 棉滤芯

PP cotton filter element

极致增压技术

Ultimate pressurization technology



双重过滤

Double filtration



护发润肤

Hair and skin care



出水细腻

Fine water flow



节水增压

Water-saving and
pressurization



除氯净化

Chlorine removal and
purification



安装便捷

Easy installation



净水花洒 SH06

Water Purifying Shower Head SH06

多色可选

Multiple colors
available

亮白

Bright White

雅灰

Elegant Gray

暗黑

Dark Black

绝绝紫

Gorgeous Purple

三层净化, 去除有害物质, 抑制细菌

Three-layer purification, removes harmful substances, inhibits bacteria

超强增压, 沐浴时享受 SPA 带来的快感

Super pressurization, enjoy the pleasure of SPA during bathing



双重过滤

Double filtration



护发润肤

Hair and skin care



出水细腻

Fine water flow



节水增压

Water-saving and
pressurization



除氯净化

Chlorine removal and
purification



安装便捷

Easy installation

净水龙头过滤器

JY002

Water Purifying Faucet Filter JY002

360 度环绕柔性出水

360-degree surrounding flexible water output

不用电, 无废水, 即安即用

No electricity, no wastewater, install and use immediately

6 层强效过滤

6-layer powerful filtration

陶瓷滤芯清洗后可反复使用, 使用寿命更长久

Ceramic filter element can be reused after cleaning, longer service life

适配家用各种出水龙头

Suitable for various household faucets

彩色套环可选配, 享受 DIY 的乐趣

Optional colorful decorative rings, enjoy DIY fun



多色可选 Multiple colors available



加粗复合滤芯

天然硅藻陶瓷
可清洗、寿命更长

Thickened composite filter element

Natural diatom ceramic, washable, longer life



出水量大

1分钟接满6瓶水
用水不等待

Large water output

fills 6 bottles in 1 minute, no waiting for water



柔性增压

增大水压
冲洗更干净

Flexible pressurization

Increase water pressure for cleaner rinsing



6层强效过滤

过滤原水有害物
保留矿物质

6-layer powerful filtration

Filters harmful substances in raw water, retains minerals



双模式出水

轻拨档位
切换净水/原水

Dual-mode water output

Lightly toggle gears to switch between purified water/raw water

沐浴宝

JY001

Bath Treasure JY001

四级过滤净化, 带来更健康的沐浴体验

Four-stage filtration and purification for a healthier bathing experience

椰壳颗粒活性炭, 吸附异色异味, 抑制细菌

Coconut shell granular activated carbon, adsorbs abnormal colors and odors, inhibits bacteria

除氯球去除水中余氯

Chlorine removal balls remove residual chlorine in water

麦饭石, 抑菌同时, 为水中添加微量元素矿物质

Maifan stone, while inhibiting bacteria, releases trace minerals and elements into

VC 释放维生素, 滋润肌肤

VC releases vitamins to moisturize the skin



麦饭石 增加矿物质

Maifan stone increases minerals



VC球 释放维生素 对人体有益

VC balls release vitamins beneficial to the human body



亚硫酸钙 除氯

Calcium sulfite removes chlorine



颗粒活性炭 吸附气味 抑制细菌

Granular activated carbon adsorbs odors and inhibits bacteria

移动水车

Mobile Water Truck

移动直饮水供水

Mobile Direct Drinking Water Supply



制水能力:0.5T/H - 2T/H, 设备功率:3.2kW - 4.2 kW ;

Water production capacity: 0.5T/H - 2T/H, Equipment power: 3.2kW - 4.2 kW;

电气参数:220V,50Hz 直接电源 / 柴油发电机双供电;

Electrical parameters: 220V, 50Hz, dual power input: mains supply or diesel generator;

膜类型:NF/RO 膜 (根据使用地区选择);

Membrane type: NF/RO membrane (selected according to the region of use);

进水水质要求:市政自来水、其它集中式供水, 以及符合 GB3838 - 2002 等 I、II、III 类地表水。

Incoming water quality requirements: municipal tap water, other centralized water supply, and surface water of Class I, II, III in line with GB3838 - 2002, etc.

技术介绍

Technical Specifications

先进RO净水技术

Advanced RO Purification Technology

内嵌水杯子阳光一号净水设备采用多重净化技术, 确保水质达到《饮用净水水质标准》(CJ94-2005), 可根据特殊需求进行调节, 适合各种水源条件。

Integrated Sunshine-1 system employs multi-stage filtration meeting CJ94-2005 standards, adjustable for specific needs and adaptable to various water sources.

紫外线杀菌

UV Sterilization

内置紫外线杀菌装置, 有效消灭水中细菌, 保障水质卫生, 安全可靠。

Built-in UV eliminates bacteria, ensuring hygienic and safe water quality.

变频恒压供水

Variable Frequency Constant Pressure System

采用变频技术, 保持供水压力稳定, 满足不同场景下的用水需求, 提高用户体验。

VFD technology maintains stable pressure, meeting diverse demands and enhancing user experience.

自备发电供电

Self-Powered Operation

配备柴油发电机, 确保在无外电情况下也能持续供水, 实现全天候应急保障。

Diesel generator enables uninterrupted supply during power outages, providing 24/7 emergency support.

应用场景 Applications

自然灾害救援 Natural Disaster Relief

提供清洁水源, 确保灾民健康与生命安全。
Provides clean water to safeguard health and lives.

快速响应, 减少疾病传播风险。

Rapid deployment reduces disease transmission risks.

野外作业保障 Field Operations Support

确保作业人员的基本生存需求, 提高工作效率。

Meets basic survival needs and boosts work efficiency.

适应复杂环境, 提供持续可靠的水源供应。

Adapts to complex environments with continuous, reliable supply.

军事行动支持 Military Operations Support

保障前线士兵的饮水安全, 提升战斗力。

Secures drinking water for frontline troops, enhancing combat effectiveness.

增强后勤保障能力, 确保任务顺利完成。

Strengthens logistics to ensure mission success.

紧急情况应对 Emergency Response

在突发事件中迅速提供安全饮水保障, 稳定局势。
Rapidly delivers safe water during crises to stabilize situations.

减少因水源问题导致的次生灾害。

Mitigates secondary disasters caused by water issues.

极端环境适应 Extreme Environment Adaptation

适用于极端气候条件下的水源供应。

Designed for reliable water supply in extreme climates.

在诸如沙漠偏远地区建立可靠的快速供水系统。

Establishes reliable rapid-deployment systems in remote areas like deserts.

基本生存需求 Basic Survival Provision

确保每个人都能获得足够的饮用水。

Ensures sufficient drinking water for all.

维护公共卫生, 应急水源污染。

Protects public health and responds to water source contamination.

直饮水拖挂车厢

Towed Direct Drinking Water Trailer

多重深度过滤，过滤精度达0.0001微米，滤除重金属、抗生素、农药残留、细菌病毒，产出新鲜好水，放心直饮。

Multiple depth filtration, filtration precision up to 0.0001 micron, filtering out heavy metals, antibiotics, pesticide residues, bacteria and viruses, producing fresh and good water for direct drinking with confidence.



电源 Power Supply

适配 220V 外接电源、备用大功率汽油发电机、选配太阳能光伏充电发电

Compatible with 220V external power supply, backup high - power gasoline generator, optional solar photovoltaic charging and power generation



水量 Water Volume

A 款产水量：生活用水 500L/H，直饮水制水量 250L/H，适用人数：400 人以内；

Water production of Model A: domestic water 500L/H, direct drinking water production 250L/H, applicable number of people: within 400;

B 款产水量：生活用水 2000L/H，适用人数：1200 人以内；直饮水制水量1000L/H

Water production of Model B: domestic water 2000L/H, applicable number of people: within 1200; direct drinking water production 1000L/H



出水 Water Outlet

生活净水取水 16 - 32L/min，全方位满足洗漱、沐浴等生活用水需求

Domestic purified water flow 16 - 32L/min, fully meeting domestic water needs such as washing and bathing

大流量直饮净水取水 12L/min，外接备用，满足更多人同时使用

Large-flow direct-drinking purified water flow: 12 L/min, external backup supply, supporting simultaneous use by more people

4 个直饮净水取水口 3L/min，伸缩折叠水龙头，取水更方便

4 direct-drinking purified water dispensing taps, 3 L/min each; retractable & foldable faucets for easier and more convenient water access



核心特点 Key Features

拖挂式设计件

Trailer-mounted Design

便于运输与快速部署，确保紧急情况下的迅速响应。

Enables rapid transport and deployment for emergency response.

高效净水系统

High-efficiency Purification System

通过多重过滤机制去除水中杂质与有害物质，保证水质安全

Multi-stage filtration removes impurities and harmful substances, ensuring water safety.

即时供水需求

Instant Water Supply

能够迅速满足紧急情况下的即时供水需求

Rapidly meets emergency water demands.

适用多种场所

Versatile Applications

适用于旅游出行、大型集会、灾区应急等不同场所的用水需求

Ideal for travel, large events, and disaster relief scenarios.

灵活应用场景

Flexible Deployment

无论是日常使用还是特殊环境下的应急供水，均能轻松应对

Adapts to both daily use and emergency situations in harsh environments.

直饮水安全可靠

Safe Drinking Water

产出的直饮水符合标准，安全可靠，适合直接饮用

Output meets drinking water standards, safe for direct consumption.

中央净水设备

Central Water Purification Equipment

阳光一号

Sunshine No.1

标准款

Standard Model



属性特色

Attribute Features

过流部分采用食品级全不锈钢配置

The wetted parts are constructed with food-grade full stainless steel

自动控制系统、15.6 寸触摸屏

Automatic control system, 15.6-inch touch screen

编号 Number	A01	A02	A03	A04	A05
水箱容积 Water Tank Volume	封头无菌 0.5 t Sterile head 0.5 t	封头无菌 0.5 t Sterile head 0.5 t	封头无菌 0.5 t Sterile head 0.5 t	封头无菌 1.0 t Sterile head 1.0 t	封头无菌 1.0 t Sterile head 1.0 t
电源 Power Supply	380V	380V	380V	380V	380V
功率 Power	3kW	3kW	3kW	5kW	7kW
供水泵组扬程 Water Supply Pump Set Head	标准 35 米, 其他扬程 (选配) Standard 35 meters, other heads (optional)	标准 35 米, 其他扬程 (选配) Standard 35 meters, other heads (optional)	标准 35 米, 其他扬程 (选配) Standard 35 meters, other heads (optional)	标准 35 米, 其他扬程 (选配) Standard 35 meters, other heads (optional)	标准 35 米, 其他扬程 (选配) Standard 35 meters, other heads (optional)

阳光一号

Sunshine No.1

智能机房款

Intelligent Machine Room Model



属性特色

Attribute Features

内集成安装阳光一号标准款

Built-in installation of Sunshine No.1 Standard Model

配置: 空调、双摄像头、电能表、产水流量、照明装置、杀菌装置等

Configuration: air conditioner, dual cameras, electric energy meter, water production flow, lighting device, sterilization device, etc.

功能: 指纹密码锁, 远程监控, 选配 (投屏或大屏显示)

Functions: fingerprint password lock, remote monitoring, optional (screen projection or large-screen display)

尺寸: 6096×2438×2591mm

Size: 6096×2438×2591mm

阳光一号

Sunshine No.1

豪华款

Luxury Model

属性特色

Attribute Features

过流部分采用食品级全不锈钢配置

The wetted parts are constructed with food-grade full stainless steel

自动控制系统、15.6 寸触摸屏

Automatic control system, 15.6-inch touch screen

碳钢喷塑外罩、高端液晶电导率仪表、PH 检测仪

Carbon steel spray-coated outer cover, high-end liquid crystal conductivity meter, PH detector



经典款

Classic Model

属性特色

Attribute Features

过流部分采用食品级全不锈钢配置

The flow-through part adopts food-grade full stainless steel

自动控制系统、7-10 寸触摸屏、远程监控模块

Automatic control system, 7-10 inch touch screen, remote monitoring module



编号 Number	B01	B02	B03	B04
水箱容积 Water Tank Volume	0.5 t 0.5 t	0.5 t 0.5 t	0.5 t 0.5 t	1.0 t 1.0 t
电源 Power Supply	380V	380V	380V	380V
功率 Power	3kW	3kW	3kW	6kW
供水泵扬程 Water Supply Pump Set Head	标准 35 米, 其他 (选配) Standard 35 meters, others (optional)	标准 35 米, 其他 (选配) Standard 35 meters, others (optional)	标准 35 米, 其他 (选配) Standard 35 meters, others (optional)	标准 35 米, 其他 (选配) Standard 35 meters, others (optional)

户外饮水平台

Outdoor Drinking Water Platform

- 多级纯物理过滤, 两道杀菌更安全
Multi-stage physical filtration with dual sterilization for enhanced safety
- 800G通量, 出水量更大, 满足更多人取水需求
800G capacity delivers a higher flow rate to serve more users
- 更厚保温材料, 防热抗冻, 产品使用寿命更长
Thicker insulation resists heat and freeze for extended service life
- 加配保暖灯, 冬天使用更放心
Added warming lamp ensures reliable winter operation



产品参数

Product Parameters

售水机 Water Vending Machine	
产品参数 PRODUCT SPECIFICATIONS	
规格型号 Model	800G单出水 single outlet
机身尺寸 Machine Dimensions	820×900×2150mm
过滤方式 Filtration Method	六级反渗透/纳滤处理 Six-stage reverse osmosis/nano filtration processing
水箱材质 Tank Material	304不锈钢 stainless steel 304
杀菌 Sterilization	紫外灯+臭氧UV UV Lamp + Ozone
净水功率 Water purification power	450W
保温功率 Heating Power	550W
控制功能 Control Function	刷卡/ 微信取水 Card swipe/ WeChat payment
配套水卡 Included Water Cards	100 pieces

售水机

Water Vending Machine

多级纯物理过滤, 两道杀菌更安全

Multi-stage physical filtration with dual sterilization for enhanced safety

800G通量, 出水量更大, 满足更多人取水需求

800G capacity delivers a higher flow rate to serve more users

更厚保温材料, 防热抗冻, 产品使用寿命更长

Thicker insulation resists heat and freeze for extended service life

加配保暖灯, 冬天使用更放心

Added warming lamp ensures reliable winter operation

产品参数

Product Parameters

规格型号 Model	800G双出水 dual outlet
机身尺寸 Machine Dimensions	1120×900×2150mm
过滤方式 Filtration Method	六级反渗透/纳滤处理 Six-stage reverse osmosis/nano filtration processing
水箱材质 Tank Material	304不锈钢 stainless steel 304
杀菌 Sterilization	紫外灯+臭氧UV UV Lamp + Ozone
净水功率 Water purification power	450W
保温功率 Heating Power	550W
控制功能 Control Function	刷卡/ 微信取水 Card swipe/ WeChat payment
配套水卡 Included Water Cards	100 pieces



户外饮水平台

Outdoor Drinking Water Platform

臻耀系列

ZhenYao Series



无垢开水机
净水与开水的结合
Scale-Free Water Boiler
Integration of purified
and hot water



一机两用
可烧开可直饮
Dual Function
Both boiled and
direct drinking water options



精美设计
精密细节
铸造工艺
Exquisite Design
Precise details Superior
craftsmanship



液晶显示
直观 显示数据
Liquid Crystal Display
Intuitive data visualization



安全设计漏电 干烧
防火防开盖 结垢
Safety Design
Protection against Leakage,
dry burning, fire, lid opening,
and scaling



预约开关
可提前预约定时开关
Scheduled Switch
Advance scheduling Timed
on/off function



杜绝阴阳水
逐层进水逐层加热
Eliminates Temperature
Inconsistency
Progressive water intake
Progressive heating



管路杀菌
实时 检测水质
Pipeline Sterilization
Real-time
water quality monitoring



金属外壳不锈钢
彩钢 0.8mm厚度
Stainless Steel &
Color-Coated Steel
Panel, 0.8mm Thick

编号 MODEL NO	YB40-W	YB40-R	YB60-W	YB60-R
材质 Material	不锈钢炫彩灰 Stainless steel dazzling gray	不锈钢炫彩灰 Stainless steel dazzling gray	不锈钢炫彩灰 Stainless steel dazzling gray	不锈钢炫彩灰 Stainless steel dazzling gray
尺寸 Dimensions	540×560×1660mm	540×560×1660mm	560×590×1760mm	560×590×1760mm
水胆容量 Tank Capacity	40L	40L	60L	60L
接水台高度 Water Outlet Height	370mm	370mm	380mm	380mm
过滤方式 Filtration Method	无 None	RO/NF 五级过滤 RO/NF five-stage filtration	无 None	RO/NF 五级过滤 RO/NF five-stage filtration
电源功率 Power Rating	3kW	3kW	9kW	9kW
电源电压 Power Supply	220V 16A/380V三相五线 220V 16A/380V three-phase five-wire	220V 16A/380V三相五线 220V 16A/380V three-phase five-wire	380V 三相五线 380V three-phase five-wire	380V 三相五线 380V three-phase five-wire
可供人数 Capacity (Users)	100~150人 100~150people	100~150人 100~150people	150~200人 150~200people	150~200人 150~200people
出水方式 Water Output Method	一开一直饮 One hot water, one direct drinking water	一开一直饮 One hot water, one direct drinking water	一开一直饮 One hot water, one direct drinking water	一开一直饮 One hot water, one direct drinking water
显示屏幕 Display Screen	LED液晶 LED liquid crystal	LED液晶 LED liquid crystal	LED液晶 LED liquid crystal	LED液晶 LED liquid crystal

校园饮水平台

Campus Drinking Water Platform

多龙头饮水台

Multi-Tap Drinking Station



热交换节能技术
Heat exchange
energy-saving
technology



全自动电脑控制
Fully automated
computer control



40°-100°自由设置
Freely adjustable
temperature
from 40°C to 100°C



LED液晶显示
LED liquid crystal
display



RO直饮水系统
RO direct drinking
water system



六防安全设计
Six-fold safety
design



高端大气
High-end
impressive
appearance



LED杀菌
LED sterilization



不锈钢面板
Stainless steel panel



热交换节能技术
Heat exchange
energy-saving
technology



全自动电脑控制
Fully automated
computer control



40°-100°自由设置
Freely adjustable
temperature
from 40°C to 100°C



LED液晶显示
LED liquid crystal
display



RO直饮水系统
RO direct drinking
water system



六防安全设计
Six-fold safety
design



高端大气
High-end
impressive
appearance



不锈钢面板
Stainless steel panel

别墅机 V03-V05

Villa Water Purifier V03 - V05

单开门

Single door:

20 寸 PP 棉 + 20 寸碳棒 + 20 寸 PP 棉 + 三角洲泵 × 4
+ RO/NF400 × 4 + 新界变频组 + 200L 纯水箱

20-inch PP cotton + 20-inch carbon rod + 20-inch PP cotton + Delta pump × 4 + RO/NF400 × 4 + Xinjie frequency conversion group + 200L pure water tank



安装方便
Easy to install



一体式设计
Integrated design



自动化控制
Automatic control



人机界面操作
Man-machine interface operation

双开门

Double doors:

原水泵 + 前置大胖 PP × 2 + 大胖 × 2 + 0.5TRO/NF
+ 水箱 + 出水增压泵

Double doors: Raw water pump + Front large PP × 2 + Large fat × 2 + 0.5TRO/NF + Water tank + Water outlet booster pump



实时监控
Real-time monitoring



一键报修
One-click repair



故障自检
Fault self-inspection

别墅机 V01-V02

Villa Water Purifier V01-V02

单开门

Single door:



安装方便
Easy to install



自动化控制
Automatic control



一体式设计
Integrated design



人机界面操作
Man-machine interface operation





工程壁挂机 YG-400-B

Engineering Wall-mounted Machine YG-400-B

额定功率:550W

Rated power: 550W

热胆容量:1.5L

Heat tank capacity: 1.5L

防干烧保护设计

Anti-dry burning protection design

食品级 304 不锈钢热胆

Food-grade 304 stainless steel heat tank

机械按压式取水

Mechanical press water intake

超大接水盒 / 直排式接水盒

Extra-large water receiving box/direct discharge water receiving box

适用于:校园、宿舍、教室、公寓

Applicable to: campuses, dormitories, classrooms, apartments



工程壁挂机 YG-400-A

Engineering Wall-mounted Machine YG-400-A

额定功率:550W

Rated power: 550W

纯净水箱容量:1L (或无)

Pure water tank capacity: 1L (or none)

热胆容量:2L

Heat tank capacity: 2L

制热水能力:≥7L/h (≥90°C)

Hot water production capacity: ≥7L/h (≥90°C)

食品级 304 不锈钢热胆

Food-grade 304 stainless steel heat tank

刷卡取水或微信、支付宝扫码

Water intake by card swiping or WeChat, Alipay scanning

防干烧保护设计

Anti-dry burning protection design

适用于:校园、宿舍、教室、公寓

Applicable to: campuses, dormitories, classrooms, apartments



立式机 H15-1 H15-2

Vertical Machine H15-1 H15-2

整机钣金喷塑, 简约时尚

The whole machine is sheet metal sprayed, simple and fashionable

适用水压:0.1MPA-0.4MPA

Applicable water pressure: 0.1MPa-0.4MPa

额定电压 / 频率:AC220V/50HZ

Rated voltage/frequency: AC220V/50HZ

额定功率:1250W

Rated power: 1250W

净水箱:10L

Pure water tank: 10L

内胆容量:5L (可定制 10L)

Liner capacity: 5L (10L customizable)

净水能力:0.26L/MIN

Water purification capacity: 0.26L/MIN

产品尺寸:400×380×1400 mm

Product size: 400×380×1400 mm

出水数量:2 个 (1 开 1 直饮)

Number of water outlets: 2 (1 for boiling water, 1 for direct drinking)

工艺原理:PP 滤芯 + 颗粒炭滤芯 + 炭棒滤芯 + RO/NF

Process principle: PP filter element + granular carbon filter element + carbon rod filter element + RO/NF



AQUACUP GLOBAL LIMITED

 www.aquacup.com

 enquiry@aquacup.com